# ASL606-05PA-HE <

### DEUTSCH | DEUTSCH ASL

TE Internal #: ASL606-05PA-HE Standard Circular Connectors, Wire-to-Wire, 5 Position, Black Zinc, Aluminum Alloy, A Polarization Code, Hard Dielectric/Silicone, Size 6, DEUTSCH ASL

View on TE.com >



Connectors > Circular Connectors > Standard Circular Connectors



Connector System: Wire-to-Wire Number of Positions: 5 Shell Plating Material: Black Zinc Shell Base Material: Aluminum Alloy Polarization Code: A

## Features

## **Product Type Features**

Product Type

Assembly Type

Connector Assembly

**Electrical Connector** 

Connector System	Wire-to-Wire
Circular Connector Type	Plug
Shell Type	Metal
Configuration Features	
Factory Installed Backshell	No
Keying	Key Polarization A
Number of Positions	5
Contacts Preloaded	No
Body Features	
Environmental Protection	With
Feedthrough Type	No
Environmental Protection Type	Sealed
Entry Style	Rear Insertion
Shell Plating Material	Black Zinc
Shell Base Material	Aluminum Alloy

**&** For support call+1 800 522 6752

## ASL606-05PA-HE

Standard Circular Connectors, Wire-to-Wire, 5 Position, Black Zinc, Aluminum Alloy, A Polarization Code, Hard Dielectric/Silicone, Size 6, DEUTSCH ASL



Circular Connector Insulation Material Type	Hard Dielectric/Silicone
Hermetically Sealed	No
Contact Features	
Contact Layout Arrangement	6 – 5
Circular Connector Contact Type	Pin
Mechanical Attachment	
Mating Retention Type	Coupling Ring
Mating Alignment	With
Polarization Code	A
Mating Alignment Type	Keyed
Mating Retention	With
Housing Features	
Circular Connector Shell Size	6
Dimensions	
Assembly Length	19.2 mm
Jsage Conditions	
Fluid Resistance	Immersible
IP Dust Sealing Level	6
IP Water Sealing Level	7
Operating Temperature Range	-55 – 170 °C
Operation/Application	
Durability Rating	500 Cycles
Other	
Field Serviceable	Yes

## ASL606-05PA-HE

Standard Circular Connectors, Wire-to-Wire, 5 Position, Black Zinc, Aluminum Alloy, A Polarization Code, Hard Dielectric/Silicone, Size 6, DEUTSCH ASL



Candidate List Declared Against: JUN 2020 (209) SVHC > Threshold: Pb (1.2% in Contact) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after

handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Not Yet Reviewed for halogen content

Halogen Content

Solder Process Capability

Reflow solder capable to 245°C


#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**

TE Part # ZPF00000000000867 PINCE AFM-8

## Also in the Series DEUTSCH ASL



## **Customers Also Bought**

**C** For support call+1 800 522 6752

05/21/2023 11:05PM | Page 3

### ASL606-05PA-HE

Standard Circular Connectors, Wire-to-Wire, 5 Position, Black Zinc, Aluminum Alloy, A Polarization Code, Hard Dielectric/Silicone, Size 6, DEUTSCH ASL





TE Part #ASL006-05PA-HE RECEPT.ASSY. 2 HOLE MNT.MICRO MK3



TE Part #ASL106-05SA-HE RECEPT.ASSY. IN-LINE.AS MICRO MK3



TE Part #ASL106-05SB-HE RECEPT.ASSY. IN-LINE.AS MICRO MK3



TE Part #ASL106-05SN-HE RECEPT.ASSY. IN-LINE.AS MICRO MK3



TE Part #ASL606-05PB-HE PLUG ASSY. AS MICRO MK3.



TE Part #ASL606-05PC-HE PLUG ASSY. AS MICRO MK3.



TE Part #ASL606-05PD-HE PLUG ASSY. AS MICRO MK3.



TE Part #ASL606-05PE-HE PLUG ASSY. AS MICRO MK3.



TE Part #ASL606-05PN-HE PLUG ASSY. AS MICRO MK3.



TE Part #ASL606-05SA-HE PLUG ASSY. AS MICRO MK3.

## Documents

Product Drawings PLUG ASSY. AS MICRO MK3.

English

Datasheets & Catalog Pages AS Micro Xtra Lite HE

English