# AS620-39PN V ACTIVE

### DEUTSCH | DEUTSCH AS Standard

TE Internal #: AS620-39PN Standard Circular Connectors, Wire-to-Wire, 39 Position, Black Zinc, Aluminum Alloy, N Polarization Code, DEUTSCH AS Standard View on TE.com >



Connectors > Circular Connectors > Standard Circular Connectors



# Connector System: Wire-to-Wire Number of Positions: **39** Shell Plating Material: **Black Zinc** Shell Base Material: **Aluminum Alloy** Polarization Code: **N**

## Features

### **Product Type Features**

Product Type	Connector
Assembly Type	Electrical Connector
Connector System	Wire-to-Wire

Circular Connector Type	Plug
Shell Type	Metal
Configuration Features	
Factory Installed Backshell	No
Keying	Key Polarization N
Number of Positions	39
Contacts Preloaded	No
Body Features	
Environmental Protection	With
Feedthrough Type	No
Environmental Protection Type	Sealed
Entry Style	Rear Insertion
Shell Plating Material	Black Zinc
Shell Base Material	Aluminum Alloy
Circular Connector Insulation Material Type	Hard Dielectric/Silicone

# AS620-39PN

Standard Circular Connectors, Wire-to-Wire, 39 Position, Black Zinc, Aluminum Alloy, N Polarization Code, DEUTSCH AS Standard



37 2 20 20
2
20 20
20 – 39
Pin
Coupling Ring
With
Ν
Keyed
With
20
33.5 mm
Immersible
6
7
-55 – 175 °C
500 Cycles
Yes

#### AS620-39PN

Standard Circular Connectors, Wire-to-Wire, 39 Position, Black Zinc, Aluminum Alloy, N Polarization Code, DEUTSCH AS Standard



Current ECHA Candidate List: JUNE 2022

 (224)
 Candidate List Declared Against: JUN 2020
 (209)

 SVHC > Threshold:

 Pb (1.2% in Contact)

 Article Safe Usage Statements:

 Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
 Not Yet Reviewed for halogen content

Halogen Content

Solder Process Capability

Reflow solder capable to 245°C


#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**

TE Part # ZPF00000000000867 PINCE AFM-8

# Also in the Series | DEUTSCH AS Standard



### Documents

## AS620-39PN

Standard Circular Connectors, Wire-to-Wire, 39 Position, Black Zinc, Aluminum Alloy, N Polarization Code, DEUTSCH AS Standard



Product Drawings PLUG BOOT TERMIN'N TYPE 6

English

Datasheets & Catalog Pages AS Micro Xtra Lite HE

English